

A hand is shown using a lubricator to apply Lubrinox to a bolt in a mechanical assembly. The background is a dark blue gradient with a white diagonal shape on the right side.

# FABORY

LUBRINOX

## LUBRICATED FASTENING

## WITH LUBRINOX

# LUBRINOX: THE NEW STANDARD IN STAINLESS STEEL FASTENING, ASSEMBLY AND MAINTENANCE

No more need to lubricate. Lubrinox helps eliminate galling for good! Lubrinox is the only fastening solution with a high-end lubrication coating. Tighten stainless steel bolts and nuts faster than ever, with or without an additional locking agent. **Welcome to the era of Lubrinox.**

Lubrinox ensures that galling is eliminated thanks to its superior coating, which does not require additional effort from you. This coating means you can avoid hazardous situations and inconveniences caused by nuts and bolts that are difficult to remove or break off and require an extractor. Connecting your fasteners with Lubrinox bolts and nuts ensures a secure connection. With Lubrinox, we can assure you with unmatched built-in security.

Because the high-end coating is completely odourless and colourless, all bolts and nuts retain that characteristic stainless steel look. An additional advantage of dry lubrication is that your fastening job is quick and clean.

The coating effectively maintains cleanliness for both your hands and tools without rubbing off or attracting dirt. This results in a hygienic environment where even food can be consumed from the coated surface, supported by FDA certificates.

Lubrinox is used in every industry where stainless steel fastening is required. Industries where Lubrinox fasteners and their characteristic features are:


- Food & dairy industry
- Pharmaceutical industry
- Petrochemical industry
- Machine building industry

Scan for detailed information  
or go to [fabory.com/lubrinox](http://fabory.com/lubrinox)




## ASSORTMENT


Lubrinox fasteners are available from stock. Order easily and quickly at [Fabory.com](http://Fabory.com) and renew your inventory at any moment. Each batch is fully traceable.




DIN933  
A2/A4




DIN931  
A2




DIN912  
A2/A4




ISO7380  
A2




ISO10642  
A2



DIN603  
A2



DIN934  
A2/A4



DIN985  
A2

THREAD LOCKER APPLICABLE

TIME & COST SAVING

AVAILABLE FROM STOCK

PREVENTS  
SEIZING/GALLING

CLEAN & DRY





## WHY LUBRINOX?

- High-end lubricant coating
- Prevents seizing/galling
- Manual pre-assembly
- Saves time & costs
- Clean & dry
- No attraction of dirt
- Thread locker applicable
- UV detectable
- Food grade approval (FDA)
- Characteristic Stainless Steel look

## TECHNICAL INFORMATION

- Ultra-thin coating
- Low & constant friction coefficient 0,12 +/-0,04
- Temperature range -180/+250 oC
- Significantly lower torque required vs un-lubricated fastening



A hand is shown holding a metal fastener, possibly a bolt or nut, against a background of a keyboard. The image is overlaid with a dark blue gradient that covers the right side and bottom of the page. The text is contained within a white rounded rectangle on the left side of the page.

Lubrinox is an innovation by Fabory, so you know it comes with reliable added value and services. We would be happy to give you personalized advice on solutions for your assembly and production process and ensure you always have the exact quantities of fasteners you need. With Fabory as your partner in high-quality fastener and logistics solutions, your project will run without delay, **smoother than ever.**

## FABORY

Fabory Nederland  
Tel: 088 22 53 000  
lubrinox@fabory.com  
www.fabory.com

Zevenheuvelenweg 44  
5048 AN Tilburg  
The Netherlands

Fabory UK  
Tel: 0121 502 4001  
lubrinox@fabory.com  
www.fabory.com

Woden Road West  
Wednesbury WS10 7SG  
United Kingdom